

## Using Oracle in the TLAB and VLAB Environments

During this class, you will have accounts on the tlab and on a special EECS 339 virtual machine in the vlab. If you would like to work on a project that requires you to install specialized software or have root access, you'll also be able to create your own virtual machine in the vlab.

### TLAB? VLAB?

The tlab ("Teaching Lab") consists of workstation machines (tlab-01 and up) with very large monitors that you can use locally or remotely, and a server machine (tlab-login). This is the lab in the Tech building that is adjacent to the bridge to the Ford building.

The vlab ("Virtual Lab") is a cluster of server computers that can run virtual machines. A virtual machine (VM) is essentially indistinguishable from a physical computer. Faculty and students can create and use custom VMs running on the vlab. If you would like to be able to create your own VM, for example to run some specialized software that is unavailable in the class VM, you can ask me for an account. Setting up a VM is very similar to setting up a physical computer.

For the class, you will have an account on a VM called 339.cs.northwestern.edu. This VM runs a full installation of Red Hat Enterprise Linux Advanced Server, the Oracle 10g database, the Apache web server, and an extended installation of Perl 5.8. Your account includes a directory that is served by the web server and is CGI-enabled. You will also have a database account that will give you a private area to create tables, indexes, sequences, procedures, packages, etc.

To summarize, the tlab is a good place to meet project partners and work. 339.cs.northwestern.edu is the VM you'll log into to work, and, if you need it, you can even build your own custom VM on the vlab.

We are trying this course on the brand-new vlab for the very first time this year. If it doesn't work out, we'll fall back to using only the tlab machines.

### Logging in

You can log into 339 from anywhere on campus using an ssh client that support ssh2. If you're off campus, you'll need to either use the VPN or an ssh tunnel. Once you log into 339 with the username and password we'll supply you, you'll land in your home directory, ~you. Unless you ask otherwise, your login shell is /bin/bash. All shell scripts in this class will assume that shell.

## What's in your home directory?

In ~you, you will see ~you/public\_html. The contents of this directory will be served by apache as <http://339/~you>. The directory is CGI-enabled in Apache's configuration files. This means that any file you place in there with a .cgi or .pl extension, and with the right permissions (chmod 755 file) will be run by Apache when it is requested, instead of being simply sent verbatim to the web browser making the request. When invoked in this way, your scripts will run as user apache, group apache.

~you/oraenv.sh is a shell script that contains the minimum set of environment variables that need to be set to make Oracle's client tools work. You need to source this file (source ~you/oraenv.sh) before you run any Oracle tools. You may want to source this in your ~you/.bashrc file so that this happens automatically when you log in. Note that because a CGI script will run as apache, not you, it is necessary to do something similar to ~you/oraenv.sh within your script. You can find a version of oraenv.sh in ~cs339/HANDOUT.

## Running SQL\*Plus

SQL\*Plus is the basic Oracle client. It provides a command-line interface to essentially all of the Oracle database functionality. To run SQL\*Plus, do the following:

```
source ~you/oraenv.sh
sqlplus you/orapasswd
```

orapasswd is your oracle password, which is different from your login password. "you" is also a different account, although, for convenience, we have given it the same name as your Linux user name. If everything is OK, you'll see something like this:

```
SQL*Plus: Release 10.1.0.2.0 - Production on Tue Sep 7 17:34:20 2004
```

```
Copyright (c) 1982, 2004, Oracle. All rights reserved.
```

```
Connected to:
```

```
Oracle Database 10g Enterprise Edition Release 10.1.0.2.0 - Production
With the Partitioning, OLAP and Data Mining options
```

```
SQL>
```

That last line is the SQL\*Plus interactive prompt. You can now type in a SQL\*Plus command ("help" to learn what they are), a SQL statement, or a PL/SQL block. For example:

```
SQL> create table students (id number, lastname varchar(32));
```

will create a table.

You will often want to write a whole bunch of SQL or PL/SQL in a file and then have SQL\*Plus evaluate it. Here's how:

```
SQL> @file.sql
```

You can also do the same thing from the command line:

```
sqlplus you/orapasswd @file.sql
```

## Running SQL\*Plus in Emacs

XEmacs (run as “xemacs”) and GNU Emacs (run as “emacs”) have a mode that can run SQL\*Plus for you, allowing you to edit using Emacs instead of with the primitive line-editing possible in SQL\*Plus. To do this, run “M-x sql-oracle RET”. “M-x” means “meta-X”, which is usually typed as either ALT-X or by hitting the ESC key and then x. “C-x” means “Control-X”. You may find it useful to deal with the Unix shell in the same way “M-x shell RET”. You’ll also find that Emacs understands both .sql and .pl files.

## Using Oracle from Perl

One way to use Oracle from Perl is to simply shell out SQL\*Plus to do the work, such as:

```
use FileHandle;
open(SQL,"| sqlplus you/orapasswd") or die "Can't open sqlplus!";
SQL->autoflush(1);
print SQL "create table students (id number, lastname varchar(32));\n";
print SQL "quit\n";
close(SQL);
```

A much faster and elegant way to do this is to use Perl’s DBI, the standard database interface. The advantage is that DBI is database-independent, meaning that you can take your Perl code that runs with Oracle and make it run with MySQL or DB2 or Postgres very easily. There are some caveats on that “independence”, but it is essentially true. You generally also need to use DBI if you want to store binary data (“blobs”, images for example) in the database . Here is a short snippet showing an example of DBI in use:

```
use DBI;
my $querystring=
    "create table students (id number, lastname varchar(32))";
my $dbh = DBI->connect("DBI:Oracle:", "you", "orapasswd")
    or die "Can't connect to database";
my $sth = $dbh->prepare($querystring)
    or die "Can't prepare $querystring because ".$dbh->errstr;
$sth->execute()
    or die "Can't execute $querystring because of ".$dbh->errstr;
my @data;
while (@data=$sth->fetchrow_array()) {
    print join("\t",@data), "\n";
}
$sth->finish();
$dbh->disconnect();
```

That code snippet will work for any \$querystring, including select statements. It will print the result rows as the return from the executing statement.

There is a lot to DBI. In fact, O'Reilly publishes a whole book on DBI. You can find out more on the web as well.

Take a look at `~cs339/HANDOUT` for some additional examples of using Oracle and Perl.

## Using Oracle From Other Languages

Oracle, and most databases, can be used from multiple languages. For each language, there is a standard database interface API, which is usually very much like Perl's DBI. Java's interface is called JDBC, while the interface for C/C++ is typically ODBC.

## Consulting Your Own Oracle, Ye Delphians

All of Oracle's software (and there is a lot of it) is available for download from [oracle.com](http://oracle.com). If you like, you can set up a similar configuration to ours on your own machine or on a VM in the vlab. Oracle is available for every platform known to man, including Linux and Windows. In essence, if you download it, it is licensed only for development use. If you want to deploy Oracle-based software, you need to pay the piper. IBM's DB2 is available under similar constraints. Microsoft's SQL Server is another commercial RDBMS. MySQL and Postgres are two open-source, free alternatives, although they have compromises.

VMware Player and Server are available for free from [vmware.com](http://vmware.com). Player runs prebuilt virtual machines and Server can both run and create virtual machines.

Due to limited course staffing, we cannot help you with setting up a VM or Oracle.

**Please note that your projects will be graded only in the 339 environment.** Also, understand that setting up an RDBMS can be a painful process, and we cannot provide any help if you decide to do it. Be careful if you run `$ORACLE_HOME/sibylline_verses.sql`.<sup>1</sup>

---

<sup>1</sup> Your instructor has a penchant for obscure references.